

FIG. 2

AMG	<u> </u>	ATS	S ATS			3			
		(Menu)							
ATSI	ATSI ACBS		S ∐	ACBS					ATSI
Title				Title					
	ACB				Α	СВ			
Track		Tra	ck		Tr	ack			
(PTT)		(F	PTT)			(PT	T)		
Index	Index Index								
CELL				CELL					
ACBU	AC	BU	AC	BU	AC	BU	AC	BU	
	0.5	SECOND							
A-CONT A1	A1	A 2	V	A1	A1	A2	A1	٧	

AMG (AUDIO MANAGER)

AMGI (AUDIO MANAGER)
INFORMATION

AMGM—ACBS
(AMG MENU / AUDIO
CONTENTS BLOCK SET)

PCI (PRESENTATION)
CONTROL
INFORMATION)
DSI (DATA SEARCH)
BACKUP AMGI

FIG. 4

ATS (AUDIO TITLE SET)

ATS	I (AUDIO TITLE SET)					
ATSI	ATSM-ACBS (ATS MENU / AUDIO CONTENTS BLOCK SET)					
	PCI					
	DSI					
ATS	Γ—ACBS (ATS TITLE—ACBC)					
	PCI					
	DSI					
	BACKUP ATSI					

AMGI (AUDIO MANAGER)

AMGI — MAT (AMGI MANAGEMENT TABLE) T-SRPT TITLE SEARCH POINTER TABLE AMGM—PGCI — UT (AUDIO MANAGER MENU) PGCI UNIT TABLE PTL-MAIT (PARENTAL MANAGEMENT) INFORMATION TABLE ATS-ATRT (AUDIO TITLE SET) ATTRIBUTE TABLE TXTDT—MG (TEXT DATA MANAGER) AMGM-C-ADT(AMGM CELL ADDRESS TABLE) AMGM-ACBU-ADMAP (AMGM—ACBU— ADDRESS MAP

ATS-ATRT (AUDIO TITLE SET ATTRIBUTE TABLE)




FIG. 7

ATS-ATR (ATS ATTRIBUTE)

ATS—ATR—EA (END ADDRESS)	4 BYTES
ATS—CAT (CATEGORY)	4 BYTES
 ATS—ATR I (ATS—ATR INFORMATION)	768 BYTES

ATSI (AUDIO TITLE SET) INFORMATION

```
ATSI — MAT
   (ATSI MANAGEMENT TABLE)
ATS—PTT—SRPT
       ATS PART OF TITLE
       SEARCH POINTER TABLE
ATS-PGCIT
      (ATS PROGRAM CHAIN
       INFORMATION TABLE
ATSM-PGCI-UT
      (ATS MENU PROGRAM)
      CHAIN UNIT TABLE
ATS-TMAPT
      (ATS TIME MAP TABLE)
ATSM-C-ADT
      (ATS MENU CELL )
ADDRESS TABLE
\mathsf{ATSM}-\mathsf{ACBU}-\mathsf{ADMAP}
      (ATS MENU ACBU)
      \ADDRESS MAP
ATS-C-ADT
     (ATS CELL ADDRESS TABLE)
ATS-ACBU-ADMAP
     (ATS-ACBU-ADDRESS MAP)
```

ATSI — MAT (ATSI MANAGEMENT TABLE)

ATS —ID (IDENTIFIER)
ATS—EA (END ADDRESS)
ATSI-EA
VERN (VERSION NUMBER)
ATS—CAT (CATEGORY)
ATSI — MAT — EA
ATSM-ACBS-SA (START ADDRESS)
ATSA—ACBS — SA
ATS-PTT-SRPT-SA
ATS-PGCIT-SA
ATSM-PGCI-UT-SA
ATS-TMAPT-SA
ATSM-C-ADT-SA
ATSM—ACBU—ADMAP—SA

ATSM-AST-ATR
(ATSM AUDIO STREAM)
ATTRIBUTE

ATS—AST—Ns
(ATS AUDIO STREAM NUMBER)

ATS—AST—ATRT (ATS AUDIO STREAM) ATTRIBUTE TABLE

ATSM-AST-ATR (AUDIO TITLE SET MENU AUDIO)

			OINEAN	ALIMID	DIE DAI	4)	
b63	b62	b61	b60	b59	b58	b57	b56
AUDIO MODE	ENCO	ING					
b55	b54 .	b53	b52	b51	b50	h40	h40
QUANTIZA		fs		D31	AUDI	D49 O CHAN	b48 NEL
DRC					NUM	BER	
b47	1				_		b40
						·	
b39							b32
				·	1		032
b31		1		1	I		b24
b23							
023		t			1		b16
				-			
b15			1	1	1		b8
h7	·						
b7		1				1	b0
	· · · · · · · · · · · · · · · · · · ·					· · · · · · · · · · · · · · · · · · ·	

F/G. 11

8 BYTES								
ATS-AST-ATR	ATS—AST—ATR	ATS-AST-ATR	ATS-AST-ATR	ATS-AST-ATR	ATS-AST-ATR	ATS-AST-ATR	ATS-AST-ATR	
(AST) #0	(AST) #1	(AST) #2	(AST) #3	(AST) #4	(AST) #5	(AST) #6	(AST) #7	
AUDIO STREAM								

ATS-AST-ATR (AUDIO TITLE SET AUDIO STREAM ATTRIBUTE DATA)

b63	b62	, b61	b60	b59	b58	, b57	, b56
AUDIC MODE	ENCOI	DING	ME	AUDIO	TYPE	AUDIO AF MODE	PRICATION
b55	b54	b53	b52	, b51	, b50	b49	b48
QUANTIZ DRC	ATION /	fs	6		AUD NUM	IO CHAN	NEL
b47 ,	b46	, b45 ,	b44		ı		b40
AST THINN	IING	LFE THINI	NING				
b39		<u> </u>		.	L	1	b32
b31		· L		l	1	.	b24
	<u>.</u>						
b23	·	l	·	1	L	.	b16
b15		L		.	L.,	L	b8
				·			
b7		·			1		b0




FIG. 14





FIG. 15

AUDIO CONTROL PACK (2048 BYTES)



ACD (636 BYTES)


GENERAL INFORMATION	48 BYTES		
NAME SPACE	93 BYTES	93 BYTES	
FREE SPACE 1	93 BYTES	93 BYTES	
FREE SPACE 2	93 BYTES	93 BYTES	
DATA POINTER	15 BYTES	15 BYTES	
TOTAL	294 BYTES	294 BYTES	

FIRST SECOND LANGUAGE

FIG. 17

キョクモクカイセツ 前作のエディング曲 " FORGET- ME- NOT "

ASD (1000 BYTES)



⋖

Ø Index=N+1 CELL=N+1 ⋖ ⋖ A-CONT ¥ 4 N=xepul CELL=N ¥ Ø FIG. 19 A-CONT ⋖ ¥ ⋖ ACBU (0.5~1.0 SECOND) ⋖ Ø ⋖ V × CELL HEAD V ⋖ ⋖ A-CONT





FIG. 21






FIG. 22





FIG. 23






FIG. 25




FIG. 26




FIG. 27





FIG. 28



AMGI (AUDIO MANAGER)

(INTOTALINATION)
AMGI-MAT (AMGI MANAGEMENT TABLE)
T—SRPT (TITLE SEARCH POINTER TABLE)
AMGM-PGCI-UT (AUDIO MANAGER MENU) PGCI UNIT TABLE
PTL-MAIT (PARENTAL MANAGEMENT) (INFORMATION TABLE
ATS-ATRT (AUDIO TITLE SET (ATTRIBUTE TABLE)
TXTDT—MG (TEXT DATA MANAGER)
AMGM—C—ADT (AMGM CELL ADDRESS TABLE)
AMGM—ACBU—ADMAP (AMGM—ACBU—ADDRESS MAP)
TOC

FIG. 30

FRAME NUMBER	POINT	PMIN, PSEC, PFRAME
n	01	00, 02, 32
n+1	01	00, 02, 32
n+2	01	00, 02, 32
n+3	02	10, 15, 12
n+4	02	10, 15, 12
n+5	02	10, 15, 12
n+6	03	16, 28, 63
n+7	03	16, 28, 63
n+8	03	16, 28, 63
n+9	0 4	, ==,
n+10	0 4	•
n+11	0 4	
n+12	05	· · · 1 SET
n+13	05	
n+14	05	•
n+15	06	49, 10, 03
n+16	06	49, 10, 03
n+17	06	49, 10, 03
n+18	A 0	01, 00, 00
n+19	A 0	01, 00, 00
n+20	A 0	01, 00, 00
n+21	A 1	0 6, 0 0, 0 0
n+22	A 1	0 6, 0 0, 0 0
n+23	A 1	0 6, 0 0, 0 0
n+24	A 2	5 2, 4 8, 4 1
n+25	A 2	5 2, 4 8, 4 1
n+26	A 2	52, 48, 41 <u> </u>
n+27	0 1	00, 02, 32
n+28	01	00, 02, 32
•	•	
•	•	•

ATSI (AUDIO TITLE SET INFORMATION

ATSI-MAT (ATSI MANAGEMENT TABLE)
ATS-PTT-SRPT (ATS PART OF TITLE (SEARCH POINTER TABLE)
ATS-PGCIT (ATS PROGRAM CHAIN) INFORMATION TABLE
ATSM-PGCI-UT (ATS MENU PROGRAM CHAIN) UNIT TABLE
ATS-TMAPT (ATS TIME MAP TABLE)
ATSM-C-ADT (ATS MENU CELL) (ADDRESS TABLE)
ATSM—ACBU—ADMAP (ATS MENU ACBU) (ADDRESS MAP
ATS-C-ADT (ATS CELL ADDRESS TABLE)
ATS—ACBU—ADMAP (ATS—ACBU—ADDRESS MAP)
TOC




FIG. 33




FIG. 34





FIG. 35







FIG. 37



F/G. 38

A	 	
A] -	1
<	Index= N+1	CELL=N+1
A	Inde	링
A		
⋖		
⋖	2	
A	Index= N	Z
٧		CELL=N
¥		
⋖		
⋖		
⋖		
Α		į
Α		
Α		
A SPCT		
A		
A		EAD
А		CELL HEAD
A		S
٧		

FIG. 39




FIG. 40





FIG. 41



AOTT-AOB-ATR

1.00	1.00	1.04		1.50	. = 0		
b63	b62	<u>b61</u>	b60	b59		b57	
AUDIO ENCODING MODE				D-M	MULTICHANNEL STRUCTURE TYPE		
				1			رــــــــــــــــــــــــــــــــــــــ
b55,	b54 __	-b53	, b52	b51	b50	b49	b48
Q1				Q2			
b47	b46_	b45	b44	b43	b42	b41	
fs1				fs2			
b39		b37	, b36	1			, b32
RESERVED C				HANNEL ASSIGNMENT			
b31			1	1	1		b24
RESERVED							
b23			1	1			b16
RESERVED							
b15			1	1			b8
RESERVED							
b7	1		1	1			, b0
RESERVED							
<u></u>							

LINEAR PCM PRIVATE HEADER

FILED	BIT NUMBER	BYTE NUMBER
SUB STREAM ID	8	1
RESERVED	4	
ISRC NUMBER	4	2
ISRC DATA	8	
PRIVATE HEADER LENGTH	8	1
FIRST ACCESS UNIT POINTER	16	2
AUDIO EMPHASIS FLAG F1	1	-
AUDIO EMPHASIS FLAG F2	1	4
RESERVED	1	1
DOWN MIX CODE	5	
QUANTIZATION WORD LENGTH 1	4	1
QUANTIZATION WORD LENGTH 2	4	"
AUDIO SAMPLING FREQUENCY fs 1	4	1
AUDIO SAMPLING FREQUENCY fs 2	4	'
RESERVED	4	
MULTICHANNEL TYPE	4	1
CHANNEL ASSIGNMENT 1	4	
CHANNEL ASSIGNMENT 2	4	1
DYNAMIC RANGE CONTROL	8	1
STUFFING BYTE	_	0-7

FIG. 44




FIG. 45




FIG. 46






FIG. 47





⋖ Ø Index= N+1 CELL=N+1 V A Ø Index=N Ø CELL=N Ø V FIG. 49 A-CONT Ø ¥ ⋖ ACBU (0.5~1.0 SECOND) Ø Ø Ω V ⋖ CELL HEAD ⋖ ⋖

FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54





FIG. 55






FIG. 57




FIG. 58




FIG. 59

LINEAR PCM AUDIO PACK




FIG. 60

LINEAR PCM PRIVATE HEADER

FILED	BIT NUMBER	BYTE NUMBER
SUB STREAM ID	8	1
RESERVED	3	
UPC/EAN-ISRC NUMBER	5	2
UPC/EAN-ISRC DATA	8	
PRIVATE HEADER LENGTH	8	1
FIRST ACCESS UNIT POINTER	16	2
AUDIO EMPHASIS FLAG	1	
RESERVED	1	
DOWN MIX CODE	1	1
DOWN MIX CODE EFFECTIVENESS	1	
DOWN MIX CODE	4	
QUANTIZATION WORD LENGTH 1	4	1
QUANTIZATION WORD LENGTH 2	4	1
AUDIO SAMPLING FREQUENCY fs 1	4	4
AUDIO SAMPLING FREQUENCY fs 2	4	"
RESERVED	4	1
MULTICHANNEL TYPE	4	•
BIT SHFT OF CHANNEL GROUP 2	3	1
CHANNEL ASSIGNMENT	5	,
DYNAMIC RANGE CONTROL	8	1
RESERVED	8	2
RESERVED	8	۷
STUFFING BYTE		8

ADI

			•					
	b7	b6	b5	b4	b3	b2	b1	b0
	RES	ERVED	COUN	TRY CO	DE (ISRC	C #1)		
							···	
			- 1	FIG.	<i>62</i>			
_	b7	b6	b5_	b4	b3	b2	b1	b0
	RESE	RVED	COUN	COUNTRY CODE (ISRC #2)				
			F	FIG.	63			
	b7	b6	b5	b4	b3_	b2	b1_	b0
L	RESE	RVED	COPY	RIGHT H	OLDER (CODE (ISRC #3)	
			_			-		
			F	FIG.	64			
_	b7	b6	b5	b4	b3	b2	b1	b0
	RESE	RVED	COPY	RIGHT H	OLDER (CODE (I	SRC #4)	
			_					
			F	FIG.	<i>65</i>			
	b7	b6	b5	b4	b3	b2	b1	b0
	RESE	RVED	COPYF	RIGHT H	OLDER (CODE (I	SRC #5)	
				-		-		
			F	FIG.	66			
_	b7	b6	b5	b4	b3	b2	b1	b0
		RESE	RVED		RECO	RDING	YEAR (IS	RC #6)
			F	7 <i>G</i> .	67			
r	b7	b6	b5	b4	b3	b2	b1	b0
		RESE	RVED		RECO	RDING	YEAR (IS	RC #7)
_					·			1

FIG. 68




FIG. 69




FIG. 70




FIG. 71





FIG. 72



ATSI-MAT

RBP		BYTE NUMBER
0~11	ATS IDENTIFIER (ATS-ID)	12
12~15	ATS END ADRS (ATS-EA)	4
16~27	RESERVED	12
28~31	ATSI END ADRS (ATSI-EA)	4
32, 33	VERSION NO (VERN)	2
34~127	RESERVED	94
128~131	ATSI-MAT END ADRS	4
132~191	RESERVED	60
192~195	AOTT VTS START ADRS	4
196~199	AOTT AOBS START ADRS (AOTT VOBS START ADRS)	4
200~203	RESERVED	4
204~207	ATS-PGCIT START ADRS	4
208~255	RESERVED	48
256~383	AOTT-AOB-ATR AOTT-VOB-AST-ATR	128
384~671	ATS-DM-COEFT#0~#15	288
672~703	RESERVED	32
704~705	STILL PICTURE DATA ATTRIBUTE (ATS-SPCT-ART)	2
706~2047	RESERVED	1342

57 / 84

AOTT-AOB-ATR

b127	b126	b125	b124	b123 CODING M		b121	b120
b119	b118	b117	b116	b115	b114	b113	b112
5110	<u> </u>		RESE		DITT	<u> </u>	DITZ
b111	b110	b109	b108	b107	b106	b105	b104
		Q1			Q	2	
b103	b102	b101	b100	b99	b98	b97	b96
		fs1			fs	2	
<u>b95</u>	b94	b93	b92	b91	b90	b89	b88
MULTICHAN	NEL STRUC	TURE TYPE		CHANNE	L ASSIGN	MENT	
<u>b87</u>	b86	b85	b84	b83	b82	b81	b80
			RESE	RVED	·		
b79	b78	b77	b76	b75	b74	b73	b72
			RESE	RVED			
<u>b71</u>	b70	b69	_b68	b67	b66	<u>b65</u>	b64
			RESE	RVED			
b63	b62	<u>b61</u>	b60	b59	b58	b57	<u>b56</u>
	•	. <u>.</u>	RESE	RVED			
b55	b54	<u>b53</u>	b52	<u>b51</u>	b50	b 49	<u>b48</u>
	-		RESE	RVED			
b47	b46	b45	b44	b43	b42	b41	<u>b40</u>
			RESE	RVED			
b39	b38	b37	b36	b35	b34	b33	b32
			RESE	RVED			
b31	b30	b29	b28	b27	b26	b25	b24
			RESE	RVED			
b23	b22	b21	b20	b19	b18	b17	b16
			RESE	RVED			
b15	b14	b13	b12	b11	b10	b9	b8
			RESE	RVED			
b7	b6	b5	b4	b3	b2	b1	b0
			RESE	RVED			

CHANNEL ASSIGNMENT INFORMATION		CHAN GROU		CHANNEL NUMBER IN	CHANNEL NUMBER IN			
(BIT PATTERN)	ACH0	ACH1	ACH2	ACH3	ACH4	ACH5	GROUP 1	GROUP 2
00000b	C(mono)	none	none	none	none	none	1	0
00001b	L	R	none	none	none	none	2	0
00010b	Lf	Rf	S	none	none	none	2	1
00011b	Lf	Rf	Ls	Rs	none	none	2	2
00100b	Lf	Rf	LFE	none	none	none	2	1
00101b	Lf	Rf	LFE	S	none	none	2	2
00110b	Lf	Rf	LFE	Ls	Rs	none	2	3
00111b	Lf	Rf	C	none	none	none	2	1
01000b	Lf	Rf	С	S	none	none	2	2
01001b	Lf	Rf	С	Ls	Rs	none	2	3
01010b	Lf	Rf	С	LFE	none	none	2	2
01011b	Lf	Rf	С	LFE	S	none	2	3
01100b	Lf	Rf	С	LFE	Ls	Rs	2	4
01101b	Lf	Rf	С	S	none	none	3	1
01110b	Lf	Rf	С	Ls	Rs	none	3	2
01111b	Lf	Rf	С	LFE	none	none	3	1
_10000b	Lf	Rf	С	LFE	S	none	3	2
10001b	Lf	Rf	С	LFE	Ls	Rs	3	3
10010b	Lf	Rf	Ls	Rs	LFE	none	4	1
10011b	Lf	Rf	Ls	Rs	С	none	4	1
10100b	Lf	Rf	Ls	Rs	С	LFE	4	2
OTHERS				RESERV	ED			

CHANNEL GROUP 1 CHANNEL GROUP 2

59 / 84

AOTT-VOB-AST-ATR

b127	b126	b125	b124	b123	b122	b121	b120
		Al	JDIO ENG	CODING	MODE		
b119	<u>b118</u>	b117	b116		b114	b113	b112
			RESE	RVED			
b111	<u>b110</u>	b109	b108	b107	b106	b105	b104
	(<u>a</u>			RESE	RVED	
b103	b102	b101	b100	b99	<u>b98</u>	b97	b96
L	f	S		ļ	RESE	RVED	
b95	<u>b94</u>	b93	b92	b91	<u>b90</u>	b89	b88
MULTICH	IANNEL STRUC	TURE TYPE	<u></u>	CHANN	IEL ASSIGN	MENT	
b87	b86	b85	b84	b83	b82	<u>b81</u>	b80
DECODIN	G AUDIO STREA	M NUMBER			RESERVED		
b79	b78	b77	b76	b75	b74	b73	b72
MPEG	AUDIO DRC	RESE	RVED	COMPRE	SSION AUDIO	CHANNEL	NUMBER
b71	b70	b69	b68	b67	b66	b65	b64
		- <u> </u>	RESE	RVED			
b63	b62	b61	b60	b59	b58	b57	b56
		·	RESE	RVED		·· -	
<u>b55</u>	<u>b54</u>	b53	b52	b51	b50	b49	b48
			RESE	RVED			
<u>b47</u>	<u>b46</u>	b45	b44	b43	b42	b41	b40
			RESER	RVED			
<u>b39</u>	b38	b37	b36	b35	b34	b33	b32
			RESEF	RVED			
<u>b31</u>	b30	b29	b28	b27	b26	b25	b24
			RESEF	RVED			
b23	b22	b21	b20	b19	b18	b17	b16
			RESEF	RVED			
b15	b14	b13	b12	b11	b10	b9	b8
			RESEF	RVED			
b7	b6	<u>b5</u>	b4	b3	b2	b1	b0
			RESEF	RVED			

ATS-DM-COEFT#0-#15


CONTENTS	BYTE NUMBER
DOWN MIX COEFFICIENT OF TABLE NUMBER 0	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 1	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 2	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 3	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 4	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 5	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 6	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 7	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 8	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 9	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 10	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 11	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 12	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 13	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 14	18
DOWN MIX COEFFICIENT OF TABLE NUMBER 15	18

FIG. 78

ATS-SPCT-ATR

b15	b14	b13	b12	b11	b10	b 9	b8
VIDEO COMPRESSI	ON MODE	TV SY	'STEM	ASPEC	T RATIO	DISPLA	Y MODE
b7	b6	b5	b4	b3	b2	b1	b0
RESER	VED		CE PICT	URE	R	ESERVE	D

FIG. 79



ATS-PGCITI

RBP		BYTE NUMBER
0~1	ATS-PGCI-SRP NUMBER	2
2~3	RESERVED	2
4~7	ATS-PGCIT END ADRS	4

FIG. 81


ATS-PGCI-SRP

RBP		BYTE NUMBER
0~3	ATS-PGC CATEGORY (ATS-PGC-CAT)	4
4~7	ATS-PGCI END ADRS	4

FIG. 82

ATS-PGC-CAT b28 b25 b24 b29 b26 b30 b27 b31 **ENTRY** ATS-TTN **TYPE** b18 b17 , b16 b23 b22 b21 b20 b19 AUDIO CHANNEL NUMBER **BLOCK MODE BLOCK TYPE** b13 b12 . b11 , b10 **b**9 **b**8 b15 b14 AUDIO ENCODING MODE b0 b7 **RESERVED**

FIG. 83



ATS-PGC-GI

RBP		BYTE NUMBER
0~3	ATS-PGC CONTENTS (ATS-PGC-CNT)	4
4~7	ATS-PGC PLAYBACK TIME (ATS-PGC-PB-TM)	4
8~9	RESERVED	2
10~11	ATS-PGIT START ADDRESS	2
12~13	ATS-C-PBIT START ADDRESS	2
14~15	RESERVED	2




FIG. 86





FIG. 87

AIS-FUI	Α	T	S	—	Р	GΙ
---------	---	---	---	---	---	----

	T	
RBP		BYTE NUMBER
0~3	ATS-PG CONTENTS (ATS-PG-CNT)	4
4	ATS-PG ENTRY CELL NUMBER	1
5	RESERVED	1
6~9	FAC-S-PTM	4
10~13	ATS-PG PLAYBACK TIME	4
14~17	ATS-PG PAUSE TIME	4
18	COPYRIGHT MANAGEMENT INFO CMI	1
19	RESERVED	, 1

ATS-PG-CNT

b31	b30	b29	b28	b27	b26	, b25	b24
R/A	STC —F	ATRN			ChGr2 BIT SHIFT		
b23	b22	b21	b20	b19	, b18	b17	b16
RESERVED D-M D-EF		D-M EFFECT	DM — COEFTN				
b15	b14	b13	b12	b11	b10	b9	, b8
F15	F14	F13	F12	F11	F10	F9	F8
h.7	4.0	1.5					
b7	b6	b5	b4	b3	b2	b1	b0
F7	F6	F5	F4	F3	F2	F1	F0





ATS-C-PBI

RBP		BYTE NUMBER
0	ATS-C INDEX NUMBER	1
1	ATS-C TYPE (ATS-C-TY)	1
2~3	RESERVED	2
4~7	ATS-C START ADDRESS	4
8~11	ATS-C END ADDRESS	4

ATS-C-TY FIG. 91

b7	b6	b5	b4	b3	b2	b1	b0	
ATS-C-COMP		RESERVED		ATS-C Usage				









FIG. 95






FIG. 97







FIG. 98








FROM DEMULTIPLEXER 128

FIG. 101






FIG. 103




FIG. 104




FIG. 105





FIG. 106






FIG. 108




FIG. 109




FIG. 110




FIG. 111

